	Application No.	Applicant(s)
•		
Notice of Allowability	10/016,767 Examiner	ATKINSON ET AL. Art Unit
_		
<u>, </u>	Myron G. Hill	1648
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to the paper filed 21 Jan. 2005.		
2. The allowed claim(s) is/are 8-14, 16-27, 29-34, 50, 53-92, 118, 119, and 195-207, renumbered as 1-81.		
3. The drawings filed on 10/30/2001 are accepted by the Examiner.		
4. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) ☐ All b) ☐ Some* c) ☐ None of the: 1. ☐ Certified copies of the priority documents have been received. 2. ☐ Certified copies of the priority documents have been received in Application No 3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)). * Certified copies not received: Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE. 5. ☒ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient. 6. ☐ CORRECTED DRAWINGS (as "replacement sheets") must be submitted. (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached 1) ☐ hereto or 2) ☐ to Paper No./Mail Date (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date Identifying Indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be leabeled as such in the header according to 37 CFR 1.121(d). 7. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
 Attachment(s) 1. ☐ Notice of References Cited (PTO-892) 2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948) 3. ☑ Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date 1.22.03, 1.21.05 4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material 	6. ☐ Interview Summary Paper No./Mail Dat 8), 7. ☑ Examiner's Amendr	ė

Application/Control Number: 10/016,767

Art Unit: 1648

Oath/Declaration

The oath/declaration is missing the signature of Thomas C. Reynolds.

A corrected oath/declaration is required.

EXAMINER'S AMENDMENT

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Jie Zhou on April 28, 2005.

The application has been amended as follows:

The first line of the specification was amended to insert --, now US 6566118, -- after "This application is divisional of U.S. Ser. No. 09/526333 filed on March 15, 2000".

In claim 50, line 13, after "exchange chromatography" the phrase "or tangential flow filtration" was deleted.

Claim 51 was cancelled.

Claims 77, 78, 81, and 82 were amended to depend from claim 50 (instead of claim 51).

In claim 118, line 14, the line was amended to read

Art Unit: 1648

-- followed by purifying on [either]a cation exchange resin [or by tangential flow filtration] to generate a --

Claims 178- 182, and 185-194 were cancelled.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Myron G. Hill whose telephone number is 571-272-0901. The examiner can normally be reached on 8:30 am-5 pm Mon-Fri.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, James Housel can be reached on 571-272-0902. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

MGH 5/1/05

SUPERVISORY PAYENT EXAMINER
TECHNOLOGY CENTER 1600